

N300 Wireless Mini USB Adapter


Model: MW300UM

// Highlights

- Provides fast 300Mbps Wi-Fi connections for wired devices
- Ideal for online gaming, HD streaming, web browsing, and more
- Supports Windows 10/8.1/8/7/XP (32/64bit)



// Connections



// Specifications

Physical Specifications

Interface
USB 2.0

Dimensions (W x D x H)
42.9 × 17.2 × 8.5mm

Antenna
Internal

Wireless Specifications

Wireless Standards	Frequency	EIRP	Wireless Security	Wireless Function
IEEE 802.11b/g/n	2.4-2.4835GHz	<20dBm (EIRP)	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK	Enable/Disable Wireless Radio, Wireless Statistics
Signal Rate	Reception Sensitivity			
<ul style="list-style-type: none"> • 11n: Up to 300Mbps (Dynamic) • 11g: Up to 54Mbps (Dynamic) • 11b: Up to 11Mbps (Dynamic) 	<ul style="list-style-type: none"> • 270M: -62dBm@10% PER • 130M: -65dBm@10% PER • 108M: -68dBm@10% PER • 54M: -68dBm@10% PER 		<ul style="list-style-type: none"> • 11M: -85dBm@8% PER • 6 M: -88dBm@10% PER • 1 M: -90dBm@8% PER 	

// Package Contents

1. N300 Wireless Mini USB Adapter (MW300UM)
2. Quick Installation Guide
3. Resource CD



For more information, please visit
www.mercusys.com
MERCUSYS TECHNOLOGIES CO., LTD.
3rd Floor, Building R1-B, No. 23, Gaoxin 4th Road,
South Hi-Tech Park, Nanshan, Shenzhen,
P.R.China

Specifications are subject to change without notice. MERCUSYS is a registered trademark of MERCUSYS TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright © 2016 MERCUSYS TECHNOLOGIES CO., LTD. All rights reserved.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, AP limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and AP location.